



## Step-down jumper; insulated; from 6/4 mm<sup>2</sup> to 4/2.5/1.5 mm<sup>2</sup>; Nominal current 32 A

Item No.: 2006-499



---

Step-down jumper; insulated; from 6/4 mm<sup>2</sup> to 4/2.5/1.5 mm<sup>2</sup>; Nominal current 32 A

### Marking

RoHS ✓  
Compliant

### Business data

|                      |               |
|----------------------|---------------|
| Supplier             | WAGO          |
| Item no.             | 2006-499      |
| GTIN / EAN           | 4055143701808 |
| Content              | 1             |
| Order amount         | 25            |
| Customer item number |               |

### Notes

### Technical data

#### Miscellaneous

|                       |            |
|-----------------------|------------|
| Rated current [A]     | 32 [A]     |
| Color                 | light gray |
| Fire load [MJ]        | 0.008 [MJ] |
| Weight [g]            | 1.608 [g]  |
| Product Family        | TOPJOB® S  |
| Main product function | Jumper     |

| Technical data             |                  |
|----------------------------|------------------|
| Ancillary product function | Step-down jumper |
| Product type               | Accessories      |

**Images & drawings**





#### Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.