



Strain relief housing; 3-pole; for cable diameter 4.5 - 10 mm

Item No.: 890-503



Strain relief housing; 3-pole; for cable diameter 4.5 - 10 mm

Marking

RoHS ✓
Compliant

Business data

Supplier	WAGO
Item no.	890-503
GTIN / EAN	4045454233327
Content	1
Order amount	50
Customer item number	

Notes

Note on Continuous Service Temperature:-35°C to +85°CInsulating parts for temperatures 105°C


Technical data

Miscellaneous

No. of poles	3
Connectable sheathed cable diameter	4.5 ... 10 mm
Width	17.9 mm / 0.705 in
Height	14 mm / 0.551 in
Depth	46.8 mm / 1.843 in
Degree of protection	IP20

Technical data	
<i>Color</i>	<i>black</i>
<i>Insulating material</i>	<i>Polyamide 66 (PA 66)</i>
<i>Flammability class per UL94</i>	<i>V0</i>
<i>Fire load [MJ]</i>	<i>0.104 [MJ]</i>
<i>Weight [g]</i>	<i>3.48 [g]</i>
<i>Surrounding air (operating) temperature</i>	<i>-35 ... 85 °C</i>
<i>Processing temperature</i>	<i>-5°C ... +40°C</i>
<i>Continuous operating temperature from [°C]</i>	<i>-35 [°C]</i>
<i>Continuous operating temperature up to [°C]</i>	<i>85 [°C]</i>
<i>Packaging type</i>	<i>BOX</i>
<i>[mm]</i>	<i>17.9 [mm]</i>
<i>Product Family</i>	<i>WINSTA MINI</i>
<i>Main product function</i>	<i>Strain relief housing</i>
<i>Product type</i>	<i>Accessories</i>

Images & drawings



Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.