




## **LED Thermoplastic Bulbs**

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders like E27, E14, B22, B15, G24 and R7S
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## **Applications**

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands



Under these 4 modes you can choose the Brighter / Dimmer key on the controller to make the speed faster / slower.

## RGB Bulb


6W VT-2022

7121 RGB + 2700K Warm White  
7150 RGB + 4000K Day White  
7151 RGB + 6400K White

BOX QTY.  
**100**

EAN Code

3800157609975  
3800157610711  
3800157610728



A+



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

## A60 With Sensor Light

Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



9W VT-2016

4459 - 2700K Warm White  
4460 - 4500K Day White  
4461 - 6000K White

EAN Code

3800157608237  
3800157608244  
3800157608251



|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 122 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |

## DC24V

Ideal Use for marine, solar/wind systems, fishing, motor home/RV, buses, vehicles systems, etc.



9W VT-2059

7224 - 6400K White

EAN Code

3800157617543



|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>DC:24V</b>           | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>720lm-At 100% ON</b> | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 112 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |

**A60 3-Step Dimming** | Smart Dimming Technology Without A Dimmer!

At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

**3** STEP  
DIMMING
**9W** VT-2011

4447 - 2700K Warm White  
4448 - 4000K Day White  
4449 - 6400K White

EAN Code

3800157607988  
3800157607995  
3800157608008

**BOX QTY.**  
100

**A+**


|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 112 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |

**NEW****HOW IT WORKS**

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

**A60 -Color Changing E27 Bulb****9W** VT-2119

EAN Code

7317 -3 IN 1 - Single Pack

3800157624497

**BOX QTY.**  
100

**A+**


|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>60mm x 112 mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |



**270**  
LUMENS

Red

**30W**  
EQUIVALENT

SKU Code EAN Code  
**7341 - RED** 3800157626033



**570**  
LUMENS

Yellow

**50W**  
EQUIVALENT

SKU Code EAN Code  
**7342 - YELLOW** 3800157626040



**310**  
LUMENS

Green

**30W**  
EQUIVALENT

SKU Code EAN Code  
**7343 - GREEN** 3800157626057



**120**  
LUMENS

Blue

**15W**  
EQUIVALENT

SKU Code EAN Code  
**7344 - BLUE** 3800157626064


**NEW**

### A60 -Color E27 Bulb

**9W** VT-2000

BOX QTY.  
**100**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>A60</b>              | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>              | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>           | Dimension:  | <b>60mm x 112 mm</b> |
| PF:                | <b>&gt;0.5</b>          |             |                      |



3 PIECES  
PACK

## A55 - E27 Bulb

5W VT-2055



7266 - 2700K Warm White

7267 - 4000K Day White


7268 - 6400K White

EAN Code

3800157622981

3800157622998

3800157623001

BOX QTY.  
30

|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 35W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 420lm             | Base:       | E27           |
| Commercial Type:   | A55               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 55mm x 106mm  |
| CRI:               | >80               |             |               |

3 PIECES  
PACK

## A60 - B22 Bulb

9W VT-2069



7246 - 2700K Warm White

EAN Code

3800157620192

BOX QTY.  
20

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | B22           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112mm  |
| CRI:               | >80              |             |               |

NEW

3 PIECES  
PACK

## A60 - E27 Bulb

9W VT-1900

A+

7240 - 2700K Warm White

7241 - 4000K Day White

7242 - 6400K White

EAN Code

3800157620130

3800157620147

3800157620154

BOX QTY.  
20

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112mm  |
| CRI:               | >80              |             |               |

NEW

3 PIECES  
PACK

## A60 - E27 Bulb

11W VT-2113

A+

7352 - 2700K Warm White

7353 - 4000K Day White

7354 - 6400K White

EAN Code

3800157627412

3800157627429

3800157627436

BOX QTY.  
120

|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 75W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 1055lm           | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 120mm  |
| CRI:               | >80              |             |               |

NEW



## A60 - E27 Bulb

9W VT-2099

7260 - 2700K Warm White

7261 - 4000K Day White

7262 - 6400K White

EAN Code

3800157622110

3800157622127

3800157622134

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 60W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm            | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 112 mm |
| CRI:               | >80              |             |               |



## A60 - E27 Bulb

10W VT-1853

4209 - 2700K Warm White

4226 - 4000K Day White

4227 - 6400K White

EAN Code

3800230623591

3800230626271

3800230626288

BOX QTY.  
100

A+



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 60W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 806lm             | Base:       | E27           |
| Commercial Type:   | A60               | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 60mm x 112mm  |
| CRI:               | >80               |             |               |

NEW



## A60 - E27 Bulb

11W VT-2112

7350 - 2700K Warm White

7349 - 4000K Day White

7351 - 6400K White

EAN Code

3800157627399

3800157627320

3800157627405

BOX QTY.  
100

A+



|                    |                  |             |               |
|--------------------|------------------|-------------|---------------|
| EQ. Watts:         | 75W              | PF:         | >0.5          |
| Voltage/Frequency: | AC:220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 1055lm           | Base:       | E27           |
| Commercial Type:   | A60              | Body Type:  | Thermoplastic |
| LED Type:          | SMD              | Dimension:  | 60mm x 120mm  |
| CRI:               | >80              |             |               |


**A60 - E27 Bulb****12W** VT-1864**4228 - 2700K Warm White****4229 - 4000K Day White****4230 - 6400K White**

EAN Code

3800230626295

3800230626301

3800230626318


BOX QTY.  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Dimmable****Dimmable A60 - E27 Bulb****12W** VT-1864D**4275 - 2700K Warm White**

EAN Code

3800230627872

BOX QTY.  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | PF:         | <b>&gt;0.7</b>       |
| Luminous Flux:     | <b>1055lm</b>            | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>A60</b>               | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>60mm x 120mm</b>  |

**A65 - E27 Bulb****15W** VT-2015

4453 - 2700K Warm White

4454 - 4000K Day White


4455 - 6400K White

EAN Code

3800157608091

3800157608107

3800157608114

BOX QTY.  
**100****A+**

|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>           |
| Luminous Flux:     | <b>1500lm</b>           | Base:       | <b>E27</b>            |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>66.5mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                       |

**A65 - E27 Bulb****17W** VT-2017

4456 - 2700K Warm White

4457 - 4000K Day White


4458 - 6400K White

EAN Code

3800157608121

3800157608138


3800157608145

BOX QTY.  
**100****A+**

|                    |                         |             |                        |
|--------------------|-------------------------|-------------|------------------------|
| EQ. Watts:         | <b>130W</b>             | PF:         | <b>&gt;0.5</b>         |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>            |
| Luminous Flux:     | <b>1800lm</b>           | Base:       | <b>E27</b>             |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>   |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>66.5 mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                        |

**A60 - B22 Bulb****9W** VT-18537401 - 2700K Warm White  
7403 - 6400K White


EAN Code

3800157629263  
3800157629287BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>             | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****11W** VT-18647404 - 2700K Warm White  
7405 - 4000K Day White  
7406 - 6400K White

EAN Code

3800157629294  
3800157629300  
3800157629317BOX QTY.  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****10W** VT-1853

4442 - 2700K Warm White

4443 - 4000K Day White

4324 - 6400K White

EAN Code

3800157607681


3800157607698

3800157601061

BOX QTY.

200

A+



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>806lm</b>             | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 112mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A60 - B22 Bulb****12W** VT-1864

7221 - 2700K Warm White

7222 - 4000K Day White

7223 - 6400K White

EAN Code

3800157617314


3800157617321

3800157617338

BOX QTY.

100

A+



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>            | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>A60</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>60mm x 120mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**A65 - B22 Bulb****15W** VT-2015

7229 - 2700K Warm White


EAN Code

3800157619554

BOX QTY.

100

A+




|                    |                         |             |                       |
|--------------------|-------------------------|-------------|-----------------------|
| EQ. Watts:         | <b>100W</b>             | PF:         | <b>&gt;0.5</b>        |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>           |
| Luminous Flux:     | <b>1500lm</b>           | Base:       | <b>B22</b>            |
| Commercial Type:   | <b>A65</b>              | Body Type:  | <b>Thermoplastic</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>65.5mm x 134mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                       |

**G45 - B22 Bulb****3W** VT-2053**7232 - 2700K Warm White**  
**7233 - 6400K White**

EAN Code

3800157619776

3800157619783


**BOX QTY.**  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 75mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**G45 - B22 Bulb****6W** VT-1973**4441 - 2700K Warm White**

EAN Code

3800157607674

**BOX QTY.**  
**100****A+**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>              | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>            | Base:       | <b>B22</b>           |
| Commercial Type:   | <b>G45</b>              | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>45mm x 80mm</b>   |
| CRI:               | <b>&gt;80</b>           |             |                      |



## Candle - B22 Bulb

3W VT-2073

7230 - 2700K Warm White

7231 - 6400K White


EAN Code

3800157619578

3800157619585

BOX QTY.  
200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 25W                | PF:         | >0.4          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 250lm              | Base:       | B22           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |

NEW



## Candle - B15 Bulb

6W VT-1857

4217 - 2700k Warm White

7348 - 6400k White


EAN Code

3800157627290

3800157627306

BOX QTY.  
200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 180°          |
| Luminous Flux:     | 470lm              | Base:       | B15           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 102mm  |
| CRI:               | >80                |             |               |



## Candle - B22 Bulb

6W VT-1965

4440 - 2700K Warm White

7346 - 6400k White


EAN Code

3800157607667

3800157627283

BOX QTY.  
00

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | B22           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 102mm  |
| CRI:               | >80                |             |               |

**Candle - E14 Bulb****3W** VT-2033

7196 - 2700K Warm White

7197 - 4000K Day White


7198 - 6400K White

EAN Code

3800157615808

3800157615815

3800157615822

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Candle - E14 Bulb****4W** VT-1818

4216 - 2700K Warm White

4166 - 4000K Day White


4122 - 6400K White

EAN Code

3800230624796

3800230620675

3800230620668

BOX QTY.  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**NEW****Candle - E14 Bulb****5.5W** VT-1855

42411 - 6400K White

EAN Code

3800157624411

BOX QTY.  
**00****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle</b>            | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

NEW



## Candle - E14 Bulb

5.5W VT-2076

7263 - 2700K Warm White  
 7264 - 4000K Day White  
 7265 - 6400K White


EAN Code

3800157622950  
 3800157622967  
 3800157622974

BOX QTY.

60

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E14           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |

NEW



## Candle - E27 Bulb

5.5W VT-1821

43421 - 2700K Warm White  
 43431 - 4000K Day White  
 43441 - 6400K White


EAN Code

3800157624381  
 3800157624398  
 3800157624404

BOX QTY.

200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E27           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |



## Candle - E27 Bulb

6W VT-1821

4342 - 2700K Warm White  
 4343 - 4000K Day White  
 4344 - 6400K White


EAN Code

3800157601733  
 3800157601740  
 3800157601757

BOX QTY.

200

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 40W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm              | Base:       | E27           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |



### Candle - E14 Bulb

6W VT-1855


4215 - 2700K Warm White  
4258 - 4000K Day White  
4241 - 6400K White

EAN Code

3800230624789  
3800230627155  
3800230626790

BOX QTY.  
**200**

**A+**



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 40W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V,50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 470lm             | Base:       | E14           |
| Commercial Type:   | Candle            | Body Type:  | Thermoplastic |
| LED Type:          | SMD               | Dimension:  | 37mm x 100mm  |
| CRI:               | >80               |             |               |



### Dimmable Candle - E14 Bulb

6W VT-1854D


4213 - 2700K Warm White

EAN Code

3800230624765

BOX QTY.  
**200**

**A+**



|                    |                   |             |               |
|--------------------|-------------------|-------------|---------------|
| EQ. Watts:         | 40W               | Dimmable:   | Yes           |
| Voltage/Frequency: | AC: 220-240V,50Hz | PF:         | >0.5          |
| Luminous Flux:     | 470lm             | Beam Angle: | 200°          |
| Commercial Type:   | Candle            | Base:       | E14           |
| LED Type:          | SMD               | Body Type:  | Thermoplastic |
| CRI:               | >80               | Dimension:  | 37mm x 100mm  |

**NEW**



### Candle - E14 Bulb

7W VT-2097


7318 - 3000K Warm White  
7319 - 4000K Day White  
7320 - 6400K White

EAN Code

3800157624503  
3800157624510  
3800157624527

BOX QTY.  
**200**

**A+**



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 55W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 750lm              | Base:       | E14           |
| Commercial Type:   | Candle             | Body Type:  | Thermoplastic |
| LED Type:          | SMD                | Dimension:  | 37mm x 100mm  |
| CRI:               | >80                |             |               |

**Candle Flame - E14 Bulb****4W** VT-1818 TP

EAN Code

**BOX QTY.**  
**200****4164 - 2700K Warm White**


3800230620743

**4156 - 4000K Day White**

3800230620736

**4354 - 6400K White**

3800157602457

**A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 124mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**Candle Flame -E14 Bulb****6W** VT-1855TP

EAN Code

**BOX QTY.**  
**200****4351 - 2700K Warm White**


3800157602426

**4352 - 4000K Day White**

3800157602433

**4353 - 6400K White**

3800157602440

**A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>Candle Flame</b>      | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>37mm x 124mm</b>  |
| CRI:               | <b>&gt;80</b>            |             |                      |

**ST26-E14****2W** VT-2032

7237 - 2700K Warm White

7238 - 4000K Day White


7239 - 6400K White

EAN Code

3800157620109

3800157620116

3800157620123

BOX QTY.  
**400****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>20W</b>                | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>150°</b>          |
| Luminous Flux:     | <b>180lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>ST26</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 59mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**T37 - E14 Bulb****9W** VT-2029

7173 - 2700K Warm White

7174 - 4000K Day White


7175 - 6400K White

EAN Code

3800157615495

3800157615501

3800157615518

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>230°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>T37</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 115mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**T37 - 27 Bulb****9W** VT-2089

7256 - 2700K Warm White

7257 - 4000K Day White


7258 - 6400K White

EAN Code

3800157621915

3800157621922

3800157621939

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>230°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>T37</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>37mm x 115mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G45 - E27 Bulb****3W** VT-2053

7202 - 2700K Warm White

7203 - 4000K Day White


7204 - 6400K White

EAN Code

3800157615860

3800157615877

3800157615884

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 76mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**G45 - E27 Bulb****4W** VT-1830

4160 - 2700K Warm White

4162 - 4000K Day White


4207 - 6400K White

EAN Code

3800230621047

3800230621054

3800230624611

BOX QTY.  
**200****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

NEW

**G45 - E27 Bulb****5.5W** VT-2176

7362 - 2700K Warm White

7363 - 4000K Day White

7364 - 6400K White

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.  
**180****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G45 - E27 Bulb****6W** VT-1879

4247 - 2700K Warm White

4248 - 4000K Day White


4249 - 6400K White

EAN Code

3800230627018

3800230627025

3800230627032

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 82mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**P45 - E14 Bulb****3W** VT-2043


7199 - 2700K Warm White  
7200 - 4000K Day White  
7201 - 6400K White

EAN Code

3800157615839  
3800157615846  
3800157615853

BOX QTY.  
**200**

**A+**



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>250lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**P45 - E14 Bulb****4W** VT-1819


4123 - 2700K Warm White  
4174 - 4000K Day White  
4124 - 6400K White

EAN Code

3800230620996  
3800230621009  
3800230621016

BOX QTY.  
**200**

**A+**



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>30W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>320lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**NEW****P45 - E14 Bulb****5.5W** VT-1880


42501 - 2700K Warm White  
42511 - 4000K Day White  
42521 - 6400K White

EAN Code

3800157624367  
3800157626408  
3800157624374

BOX QTY.  
**200**

**A+**



|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |


NEW

**P45 - E14 Bulb****5.5W** VT-2156

7357 - 2700K Warm White  
 7358 - 4000K Day White  
 7359 - 6400K White

EAN Code

3800157628150  
 3800157628167  
 3800157628174

BOX QTY.  
**180****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**P45 - E14 Bulb****6W** VT-1880

4250 - 2700K Warm White  
 4251 - 4000K Day White  
 4252 - 6400K White

EAN Code

3800230627049  
 3800230627056  
 3800230627063

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |


NEW

**P45 - E14 Bulb****7W** VT-2098

7321 - 2700K Warm White  
 7322 - 4000K Day White  
 7323 - 6400K White

EAN Code

3800157624534  
 3800157624541  
 3800157624558

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>55W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>180°</b>          |
| Luminous Flux:     | <b>750lm</b>              | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>P45</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>45mm x 81mm</b>   |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R7S Bulb****7W** VT-1917

7123 - 3000K Warm White

7124 - 4000K Day White


7125 - 6400K White

EAN Code

3800157610032

3800157610049

3800157610056

BOX QTY.  
**100****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>360°</b>          |
| Luminous Flux:     | <b>470lm</b>              | Base:       | <b>R7S</b>           |
| Commercial Type:   | <b>R7S</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 118mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R7S Bulb****10W** VT-1990

4369 - 3000K Warm White

4389 - 4000K Day White


4390 - 6400K White

EAN Code

3800157602952

3800157604130

3800157604147

BOX QTY.  
**100****A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>360°</b>          |
| Luminous Flux:     | <b>1000lm</b>             | Base:       | <b>R7S</b>           |
| Commercial Type:   | <b>R7S</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>25mm x 118mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R39 - E14 Bulb****3W** VT-1861

4219 - 3000K Warm White  
4220 - 4000K Day White  
4242 - 6400K White

EAN Code

3800230625472  
3800230625489  
3800230626806

**BOX QTY.**  
**200****A+**


|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>25W</b>               | PF:         | <b>&gt;0.4</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>210lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>R39</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>39mm x 67mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**R50 - E14 Bulb****6W** VT-1876

4243 - 3000K Warm White  
4138 - 4000K Day White  
4246 - 6400K White

EAN Code

3800230626813  
3800230620897  
3800230626967

**BOX QTY.**  
**100****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>40W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>400lm</b>             | Base:       | <b>E14</b>           |
| Commercial Type:   | <b>R50</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>               | Dimension:  | <b>50mm x 86mm</b>   |
| CRI:               | <b>&gt;80</b>            |             |                      |

**R63 - E27 Bulb****8W** VT-1862

4221 - 3000K Warm White

4140 - 4000K Day White


4244 - 6400K White

EAN Code

3800230625496

3800230620903

3800230626820

BOX QTY.  
**200****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>500lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R63</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>63mm x 100mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**R80 - E27 Bulb****10W** VT-1894

4339 - 3000K Warm White

4340 - 4000K Day White


4341 - 6400K White

EAN Code

3800157601702

3800157601719

3800157601726


BOX QTY.  
**100****A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>          |
| Luminous Flux:     | <b>800lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>R80</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>80mm x 114mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**PL - E27 Bulb****6W** VT-2046**7211 - 3000K Warm White**

EAN Code

3800157617031


BOX QTY.  
 **50** **A+**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>480lm</b>              | Base:       | <b>E27</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 145mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - E27 Bulb****10W** VT-2050**7215 - 3000K Warm White**

EAN Code

3800157617079

BOX QTY.  
 **50** **A+**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>85W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>820lm</b>              | Base:       | <b>E27</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 157mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - G24 Bulb****6W** VT-2046

7210 - 3000K Warm White

7209 - 4000K Day White


7208 - 6400K White

EAN Code

3800157617024

3800157617017

3800157617000

BOX QTY.  
 **50** **A+**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>50W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>480lm</b>              | Base:       | <b>G24</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 145mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**PL - G24 Bulb****10W** VT-2050

7214 - 3000K Warm White

7213 - 4000K Day White


7212 - 6400K White

EAN Code

3800157617062

3800157617055

3800157617048

BOX QTY.  
 **50** **A+**

|                    |                           |             |                           |
|--------------------|---------------------------|-------------|---------------------------|
| EQ. Watts:         | <b>85W</b>                | PF:         | <b>&gt;0.5</b>            |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>120°</b>               |
| Luminous Flux:     | <b>820lm</b>              | Base:       | <b>G24</b>                |
| Commercial Type:   | <b>PL</b>                 | Body Type:  | <b>Plastic + Aluminum</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>38mm x 157mm</b>       |
| CRI:               | <b>&gt;80</b>             |             |                           |

**G95 - E27 Globe Bulb****10W** VT-1893

4276 - 3000K Warm White

4277 - 4000K Day White


4278 - 6400K White

EAN Code

3800230627889

3800230627896

3800230627902

BOX QTY.  
 **12** **A+**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>60W</b>                | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>810lm</b>              | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G95</b>                | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>95mm x 140mm</b>  |
| CRI:               | <b>&gt;80</b>             |             |                      |

**G120 - E27 Globe Bulb****13W** VT-1883

4253 - 3000K Warm White

4273 - 4000K Day White


4274 - 6400K White

EAN Code

3800230627094

3800230627858

3800230627865

BOX QTY.  
 **12** **A+**


|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>                | PF:         | <b>&gt;0.7</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1055lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G120</b>               | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>120mm x 164mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |

**Dimmable G120 - E27 Globe Bulb****13W** VT-1884D

EAN Code

4254 - 2700K Warm White

3800230627100

BOX QTY.  
**12****A+**

|                    |                          |             |                      |
|--------------------|--------------------------|-------------|----------------------|
| EQ. Watts:         | <b>75W</b>               | Dimmable:   | <b>Yes</b>           |
| Voltage/Frequency: | <b>AC: 220-240V,50Hz</b> | PF:         | <b>&gt;0.7</b>       |
| Luminous Flux:     | <b>1055lm</b>            | Beam Angle: | <b>200°</b>          |
| Commercial Type:   | <b>G120</b>              | Base:       | <b>E27</b>           |
| LED Type:          | <b>SMD</b>               | Body Type:  | <b>Thermoplastic</b> |
| CRI:               | <b>&gt;80</b>            | Dimension:  | <b>120mm x 164mm</b> |

**G120 - E27 Globe Bulb****18W** VT-1899

EAN Code

4433 - 2700K Warm White


3800157606806

4434 - 4000K Day White

3800157606813


4435 - 6400K White

3800157606820

BOX QTY.  
**12****A+**

|                    |                         |             |                      |
|--------------------|-------------------------|-------------|----------------------|
| EQ. Watts:         | <b>130W</b>             | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>1800lm</b>           | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>G120</b>             | Body Type:  | <b>Thermoplastic</b> |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>120mm x 164mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                      |

NEW

BOX QTY.  
60

## T80 - E27 LED Big Ripple Plastic Bulb

18W VT-2121

EAN Code

7272 - 3000K Warm White

3800157623629

7273 - 4000K Day White

3800157623636


7274 - 6400K White

3800157623643

A

|                    |                    |             |              |
|--------------------|--------------------|-------------|--------------|
| EQ. Watts:         | 100W               | PF:         | >0.5         |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°         |
| Luminous Flux:     | 1400lm             | Base:       | E27          |
| Commercial Type:   | T80                | Body Type:  | Plastic      |
| LED Type:          | SMD                | Dimension:  | 80mm x 150mm |
| CRI:               | >80                |             |              |

NEW

BOX QTY.  
40

## T100 - E27 LED Big Ripple Plastic Bulb

24W VT-2125

EAN Code

7275 - 3000K Warm White

3800157623650

7276 - 4000K Day White

3800157623667


7277 - 6400K White

3800157623674

A+

|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 150W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 2080lm             | Base:       | E27           |
| Commercial Type:   | T100               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 100mm x 174mm |
| CRI:               | >80                |             |               |

NEW

BOX QTY.  
20

## T120 - E27 LED Big Ripple Plastic Bulb

36W VT-2137

EAN Code

7278 - 4000K Day White

3800157623681

7279 - 6400K White

3800157623698



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 200W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 2680lm             | Base:       | E27           |
| Commercial Type:   | T120               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 118mm x 204mm |
| CRI:               | >80                |             |               |

NEW

BOX QTY.  
16

## T140 - E27 LED Big Ripple Plastic Bulb

48W VT-2148

EAN Code

7280 - 4000K Day White

3800157623704

7281 - 6400K White

3800157623711



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 265W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 200°          |
| Luminous Flux:     | 3570lm             | Base:       | E27           |
| Commercial Type:   | T140               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | 138mm x 230mm |
| CRI:               | >80                |             |               |

**ED-90 - E27 Bulb****40W** VT-1940

7132 - 3000K Warm White

7133 - 4000K Day White

7134 - 6500K White

EAN Code

3800157610285

3800157610292

3800157610308

BOX QTY.  
**30****A+**

|                    |                         |             |                     |
|--------------------|-------------------------|-------------|---------------------|
| EQ. Watts:         | <b>250W</b>             | PF:         | <b>&gt;0.9</b>      |
| Voltage/Frequency: | <b>AC:220-240V,50Hz</b> | Beam Angle: | <b>265°</b>         |
| Luminous Flux:     | <b>3500lm</b>           | Base:       | <b>E27</b>          |
| Commercial Type:   | <b>ED-90</b>            | Body Type:  | <b>Aluminum+PC</b>  |
| LED Type:          | <b>SMD</b>              | Dimension:  | <b>90mm x 220mm</b> |
| CRI:               | <b>&gt;80</b>           |             |                     |

**NEW****T160 - E27  
LED Big Ripple Plastic Bulb****60W** VT-2060


7313 - 4000K Day White

7314 - 6400K White

EAN Code

3800157624459

3800157624466

BOX QTY.  
**00****A**

|                    |                           |             |                      |
|--------------------|---------------------------|-------------|----------------------|
| EQ. Watts:         | <b>310W</b>               | PF:         | <b>&gt;0.5</b>       |
| Voltage/Frequency: | <b>AC: 220-240V, 50Hz</b> | Beam Angle: | <b>200°</b>          |
| Luminous Flux:     | <b>4200lm</b>             | Base:       | <b>E27</b>           |
| Commercial Type:   | <b>T160</b>               | Body Type:  | <b>Plastic</b>       |
| LED Type:          | <b>SMD</b>                | Dimension:  | <b>160mm x 282mm</b> |
| CRI:               | <b>&gt;80</b>             |             |                      |



## UFO Ceiling Lamp- E27

15W VT-2116

EAN Code

BOX QTY.

20

7158 - 3000K Warm White

3800157612494


7159 - 4000K Day White

3800157612500

7160 - 6400K White

3800157612517

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 90W                | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 1350lm             | Base:       | E27           |
| Commercial Type:   | F150               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | ø150mm x 80mm |
| CRI:               | >80                |             |               |



## UFO Ceiling Lamp- E27

24W VT-2124

EAN Code

BOX QTY.

20

7161 - 3000K Warm White

3800157612524


7162 - 4000K Day White

3800157612531

7163 - 6400K White

3800157612548

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 160W               | PF:         | >0.5          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 2610lm             | Base:       | E27           |
| Commercial Type:   | F200               | Body Type:  | Plastic       |
| LED Type:          | SMD                | Dimension:  | ø200mm x 80mm |
| CRI:               | >80                |             |               |



## UFO Ceiling Lamp- E27

36W VT-2136

EAN Code

BOX QTY.

20

7164 - 3000K Warm White

3800157612555


7165 - 4000K Day White

3800157612562

7166 - 6400K White

3800157612579

A+



|                    |                    |             |               |
|--------------------|--------------------|-------------|---------------|
| EQ. Watts:         | 190W               | PF:         | >0.9          |
| Voltage/Frequency: | AC: 220-240V, 50Hz | Beam Angle: | 120°          |
| Luminous Flux:     | 3240lm             | Base:       | E27           |
| Commercial Type:   | F250               | Body Type:  | Plastic       |
| LED Type:          | SMD2835            | Dimension:  | ø250mm x 80mm |
| CRI:               | >80                |             |               |